

=====

Sequence Listing was accepted.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Durreshwar Anjum

Timestamp: [year=2007; month=11; day=25; hr=8; min=58; sec=15; ms=96;]

=====

Application No: 10540443

Version No: 1.0

Input Set:**Output Set:****Started:** 2007-10-31 14:10:03.390**Finished:** 2007-10-31 14:10:06.403**Elapsed:** 0 hr(s) 0 min(s) 3 sec(s) 13 ms**Total Warnings:** 35**Total Errors:** 16**No. of SeqIDs Defined:** 35**Actual SeqID Count:** 35

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
E 257	Invalid sequence data feature in <221> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
E 257	Invalid sequence data feature in <221> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
E 257	Invalid sequence data feature in <221> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
E 257	Invalid sequence data feature in <221> in SEQ ID (16)

Input Set:

Output Set:

Started: 2007-10-31 14:10:03.390
Finished: 2007-10-31 14:10:06.403
Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 13 ms
Total Warnings: 35
Total Errors: 16
No. of SeqIDs Defined: 35
Actual SeqID Count: 35

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occurred more than 20 times, will not be displayed
E 257	Invalid sequence data feature in <221> in SEQ ID (23)
E 257	Invalid sequence data feature in <221> in SEQ ID (24)
E 257	Invalid sequence data feature in <221> in SEQ ID (25)
E 257	Invalid sequence data feature in <221> in SEQ ID (26)
E 257	Invalid sequence data feature in <221> in SEQ ID (27)
E 257	Invalid sequence data feature in <221> in SEQ ID (28)
E 257	Invalid sequence data feature in <221> in SEQ ID (29)
E 257	Invalid sequence data feature in <221> in SEQ ID (30)
E 257	Invalid sequence data feature in <221> in SEQ ID (31)
E 257	Invalid sequence data feature in <221> in SEQ ID (32)
E 257	Invalid sequence data feature in <221> in SEQ ID (33)

SEQUENCE LISTING

<110> Polt, Robin
Bilsky, Edward

<120> GLYCOSYLATED ENKEPHALIN AGENTS

<130> 920214.00005

<140> 10540443

<141> 2007-10-31

<150> PCT/US2004/005843

<151> 2004-02-24

<150> US 60/449,989

<151> 2003-02-25

<160> 35

<170> PatentIn version 3.3

<210> 1

<211> 4

<212> PRT

<213> Artificial

<220>

<223> Classic motif for opioid receptor binding

<400> 1

Tyr Gly Gly Phe

1

<210> 2

<211> 5

<212> PRT

<213> Artificial

<220>

<223> Met-Enkephalin

<400> 2

Tyr Gly Gly Phe Met

1 5

<210> 3

<211> 5

<212> PRT

<213> Artificial

<220>

<223> Leu-Enkephalin

<400> 3

Tyr Gly Gly Phe Leu
1 5

<210> 4

<211> 17

<212> PRT

<213> Artificial

<220>

<223> Dynorphin A

<400> 4

Tyr Gly Gly Phe Leu Arg Arg Ile Arg Pro Lys Leu Lys Trp Asn Asn
1 5 10 15

Gln

<210> 5

<211> 13

<212> PRT

<213> Artificial

<220>

<223> Dynorphin B

<400> 5

Tyr Gly Gly Phe Leu Arg Arg Gln Phe Lys Val Val Thr
1 5 10

<210> 6

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Alpha-Neoendorphin

<400> 6

Tyr Gly Gly Phe Leu Arg Lys Tyr
1 5

<210> 7

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Beta-Neoendorphin

<400> 7

Tyr Gly Gly Phe Leu Arg Lys Tyr Pro
1 5

<210> 8

<211> 31

<212> PRT

<213> Artificial

<220>

<223> Beta h-Endorphin

<400> 8

Tyr Gly Gly Phe Met Thr Ser Glu Lys Ser Gln Thr Pro Leu Val Thr
1 5 10 15

Leu Phe Lys Asn Ala Ile Ile Lys Asn Ala Tyr Lys Lys Gly Glu
20 25 30

<210> 9

<211> 25

<212> PRT

<213> Artificial

<220>

<223> Peptide E

<400> 9

Tyr Gly Gly Phe Met Arg Arg Val Gly Arg Pro Glu Trp Trp Met Asp
1 5 10 15

Tyr Gln Lys Arg Tyr Gly Gly Phe Leu
20 25

<210> 10

<211> 13

<212> PRT

<213> Artificial

<220>

<223> Peptide F

<400> 10

Gly Gly Glu Val Leu Gly Lys Arg Tyr Gly Gly Phe Met
1 5 10

<210> 11
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Nociceptin

<400> 11

Phe Gly Gly Phe Leu Arg Arg Ile Arg Pro Lys Leu Lys Trp Asn Asn
1 5 10 15

Gln

<210> 12
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Deltorphin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (7)..(7)
<223> contains CONH2

<400> 12

Tyr Met Phe His Leu Met Asp
1 5

<210> 13
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Dermorphins

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (7)..(7)
<223> contains CONH2

<400> 13

Tyr Ala Phe Gly Tyr Pro Ser
1 5

<210> 14
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Morphiceptin

<220>
<221> MOD_RES
<222> (4)..(4)
<223> contains CONH2

<400> 14

Tyr Pro Phe Pro
1

<210> 15
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Beta-Casomorphin

<400> 15

Tyr Pro Phe Pro Gly Pro Ile
1 5

<210> 16
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Endomorphin-1

<220>
<221> MOD_RES
<222> (4)..(4)
<223> contains CONH2

<400> 16

Tyr Pro Trp Phe
1

<210> 17
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Endomorphin-2

<220>
<221> MOD_RES
<222> (4)..(4)
<223> contains CONH2

<400> 17

Tyr Pro Phe Phe
1

<210> 18
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Rubiscolin-6

<400> 18

Tyr Pro Leu Asp Leu Phe
1 5

<210> 19
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Motif for opioid receptor binding having a D-amino acid

<220>
<221> MISC_FEATURE

<222> (2)..(2)
<223> D-amino acid

<400> 19

Tyr Cys Gly Phe
1

<210> 20
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Motif for opioid receptor binding having a D-amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<400> 20

Tyr Ala Gly Phe
1

<210> 21
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Motif for opioid receptor binding having a D-amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<400> 21

Tyr Thr Gly Phe
1

<210> 22
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<400> 22

Tyr Thr Gly Phe Leu Ser
1 5

<210> 23
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (6)..(6)
<223> contains (b-Glc) CONH2

<400> 23

Tyr Thr Gly Phe Leu Ser
1 5

<210> 24
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (6)..(6)
<223> contains (a-Man) CONH2

<400> 24

Tyr Thr Phe Gly Leu Ser
1 5

<210> 25

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic enkephalin

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> D-amino acid

<220>

<221> MOD_RES

<222> (6)..(6)

<223> contains (b-Lactose) CONH2

<400> 25

Tyr Thr Gly Phe Leu Ser
1 5

<210> 26

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic enkephalin

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> D-amino acid

<220>

<221> MOD_RES

<222> (6)..(6)

<223> contains (b-Glc) CONH2

<400> 26

Tyr Thr Gly Phe Leu Ser
1 5

<210> 27

<211> 6

<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (6)..(6)
<223> contains (b-Maltose) CONH2

<400> 27

Tyr Thr Gly Phe Leu Ser
1 5

<210> 28
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (6)..(6)
<223> (b-Maltotriose) CONH2

<400> 28

Tyr Thr Gly Phe Leu Ser
1 5

<210> 29
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (6)..(6)
<223> contains (b-Xyl) CONH2

<400> 29

Tyr Thr Gly Phe Leu Ser
1 5

<210> 30
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (6)..(6)
<223> contains (b-Melibiose) CONH2

<400> 30

Tyr Thr Gly Phe Leu Ser
1 5

<210> 31
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> misc_feature

<222> (16)..(16)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MOD_RES
<222> (17)..(17)
<223> contains CONH2

<400> 31

Tyr Thr Gly Phe Leu Pro Asn Leu Asx Glu Lys Ala Leu Lys Ser Xaa
1 5 10 15

Leu

<210> 32
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> beta-alanine

<220>
<221> misc_feature
<222> (16)..(16)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MOD_RES
<222> (17)..(17)
<223> contains CONH2

<400> 32

Tyr Thr Gly Phe Leu Ala Asn Leu Asx Glu Lys Ala Leu Lys Ser Xaa
1 5 10 15

Leu

<210> 33
<211> 18
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> misc_feature
<222> (17)..(17)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MOD_RES
<222> (18)..(18)
<223> contains CONH2

<400> 33

Tyr Thr Gly Phe Leu Gly Gly Asn Leu Asx Glu Lys Ala Leu Lys Ser
1 5 10 15

Xaa Leu

<210> 34
<211> 5
<212> PRT
<213> Artificial

<220>
<223> General motif for opiod receptor binding having a D-amino acid

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid

<400> 34

Tyr Xaa Gly Phe Leu
1 5

<210> 35
<211> 6
<212> PRT

<213> Artificial

<220>

<223> General motif for opioid receptor binding having a D-amino acid

<220>

<221> misc_feature

<222> (2)..(2)

<223> Xaa can be any naturally occurring amino acid

<400> 35

Tyr Xaa Gly Phe Leu Ser

1 5